

## Cryptosporidiosis

- Reported cases of disease, 1999-2003
- 5-year rate of disease, 1999-2003

Note: Since the number of cases of Cryptosporidiosis is less than 50 for one year, information has been combined for three years to allow demonstration of trends for the following figures:

- Reported cases by age group, 2001-2003
- Reported cases by gender, 2001-2003
- Reported cases by county, 2001-2003
- Reported cases by month, 2001-2003





Reported cases of Cryptosporidiosis by age group,					
Rhode Island, 2001-2003					
Age Group	Number of reported	Percent	Rate¹ of disease per		
	cases		100,000		
< 1	1	2.1 %	2.7		
1-4	10	20.8 %	6.4		
5-9	8	16.7 %	3.7		
10-19	4	8.3 %	0.91		
20-29	1	2.1 %	0.24		
30-39	12	25.0 %	2.5		
40-49	4	8.3 %	0.83		
50-59	6	12.5 %	1.7		
60-74	1	2.1 %	0.30		
75+	1	2.1 %	0.42		
TOTAL	48	100.0%	1.5		


Denominators for computing rates for RI were based on 2000 Census counts obtained from the U.S. Census Bureau.

Reported cases of Cryptosporidiosis by gender, Rhode Island, 2001-2003					
Gender	Number of reported	Percent	Rate <sup>1</sup> of disease per		
	cases		100,000		
Males	25	52.0 %	1.7		
Females	21	43.8 %	1.3		
Unknown	2	4.2%			
TOTAL	48	100.0%	1.5		

<sup>1</sup>Denominators for computing rates for RI were based on 2001 Census counts obtained from the U.S. Census Bureau.

Reported cases of Cryptosporidiosis by county, Rhode Island,					
2001-2003					
County	Number of reported	Percent	Rate <sup>1</sup> of disease per		
	cases		100,000		
Bristol	0				
Kent	6	12.5%	0.40		
Newport	2	4.2 %	0.39		
Providence	36	75.0 %	0.48		
Washington	3	6.2 %	1.9		
Unknown	1	2.1 %			
TOTAL	48	100.0%	0.64		

<sup>1</sup> Denominators for computing rates for RI were based on 2001 population counts obtained from the U.S. Census Bureau.



Questions regarding these data can be directed to Tara Cooper, MPH: Phone number: (401) 222-3284 or Email: TaraC@doh.state.ri.us